

MATERIAL SAFETY DATA SHEET

DB2106 FLO GREEN

Version Number 1.0 Revision Date 11/25/2002 Page 1 of 6 Print Date 11/7/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DB2106 FLO GREEN
Product code	:	FO20002752
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Petroleum distillates, hydrotreated light	64742-53-6	1 - 5
naphthenic		

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

sion Date 11/25/2002	Print Date 11/7/2
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit	No data available.No data available.
Autoignition temperature Suitable extinguishing media	Not applicable.Carbon dioxide blanket, dry powder, foam, Water spray.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing





ion Number 1.0 sion Date 11/25/2002				Print	Page 3 t Date 11/7/
	Р		contain combustible of ducts, and other sum materials.		
Storage			d tightly closed to avo ore in a cool dry place		re absorption
8. F			SONAL PROTECTI		
Respiratory protection			g conditions a respirato		be required
Eye/Face Protection		afety glasses with sid		n may not	be required.
-			e-sinclus.		
Hand protection		rotective gloves.			
Skin and body protection		ong sleeved clothing			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations			vith good industrial hy aks and at the end of v		safety practic
Engineering measures			appropriate exhaust v ntilation at machinery.		. Provide
Exposure limit(s)					
Components	Value	Exposure tim	e Exposu	e type	List:
Petroleum distillates, hydrotreated light naphthenic	500 ppm 2,000 mg/m3	PEL:	Vap	or.	OSHA Z
	9. PHYSIC	CAL AND CHEMIC	AL PROPERTIES		
Form	: Liqu		Evaporation rate	· No	ot established
Appearance		ous, Liquid	Specific Gravity		ot determined
Color	: GRE		Bulk density	: No	t applicable.
Odor		faint	Vapor pressure	: No	ot determined
Melting point/range		applicable	Vapor density		ot determined
Boiling Point:		applicable	pН	: No	ot applicable.
Water solubility	: Imm	iscible			
	10. 8	STABILITY AND R	EACTIVITY		
Stability	: S	table.			
Hazardous Polymerization	n : W	Vill not occur.			
-					



MATERIAL SAFETY DATA SHEET

ision Date 11/25/20	02			Page 4 c Print Date <i>11/7/20</i>		
Conditions to avoid			om oxidizing agents a, do not overheat.	and open flame. To avoid thermal		
Incompatible Materia	als	: Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.				
Hazardous decompos products	sition	(NOx), hydrog smoke are all degradation. A after one hour	gen chloride (HCl), possible. Prolonged As a general rule of	onoxide (CO), oxides of nitrogen other hazardous materials, and I heating may result in product thumb, degradation begins to occur after 10 minutes at 204 °C (400 °F), 50 °F).		
		11. TOXICOLOG	ICAL INFORMAT	FION		
CAS-No. 64742-53-6	Petrole	Chemical Name	Effect Irritant	Target Organ Eyes, Skin.		
	Petrole	eum distillates, reated light				
	Petrole hydrot	eum distillates, reated light enic		Eyes, Skin.		
	Petrole hydrot: naphth	eum distillates, reated light enic	Irritant AL INFORMATIO	Eyes, Skin.		
64742-53-6	Petrole hydrot naphth	eum distillates, reated light enic 12. ECOLOGIC : Not readily bio	Irritant AL INFORMATIC Delegradable.	Eyes, Skin.		
64742-53-6 Persistence and degra	Petrole hydrot: naphth adability	eum distillates, reated light enic 12. ECOLOGIC : Not readily bio : Environmenta	Irritant AL INFORMATIO Description	Eyes, Skin.		
64742-53-6 Persistence and degra Environmental Toxic	Petrole hydrot: naphth adability	eum distillates, reated light enic 12. ECOLOGIC : Not readily bio : Environmenta whole.	Irritant AL INFORMATIO Delegradable. I toxicity has not be ble.	Eyes, Skin.		
64742-53-6 Persistence and degra Environmental Toxic Bioaccumulation Pot	Petrole hydrot: naphth adability	eum distillates, reated light enic 12. ECOLOGIC : Not readily bio : Environmenta whole. : No data availa : No data availa	Irritant AL INFORMATIO Delegradable. I toxicity has not be ble.	Eyes, Skin.		
64742-53-6 Persistence and degra Environmental Toxic Bioaccumulation Pot	Petrole hydrot: naphth adability	 um distillates, reated light enic 12. ECOLOGIC : Not readily bide : Environmenta whole. : No data availa : No data availa 13. DISPOSAL of the second second	Irritant AL INFORMATIC Delegradable. I toxicity has not be ble. ble. CONSIDERATIO e, recycling is prefe vaste material has th transportation and c	Eyes, Skin.		

- Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
 - 14. TRANSPORT INFORMATION



MATERIAL SAFETY DATA SHEET

sion Date 11/25/2002		Page 5 Print Date 11/7/2
U.S. DOT Classification	:	Refer to specific regulation.
ICAO/IATA	:	Refer to specific regulation.
IMO / IMDG	:	Refer to specific regulation.
	15	S. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
		California to cause cancer.
65 SARA Title III Section 302 Ext		California to cause cancer.
65 SARA Title III Section 302 Ext Not applicable	trem	California to cause cancer.
65 SARA Title III Section 302 Ext Not applicable Canadian Regulations:	trem	California to cause cancer. ely Hazardous Substance
65 SARA Title III Section 302 Ext Not applicable Canadian Regulations: WHMIS Classification	trem	California to cause cancer. ely Hazardous Substance D2B All components of this product are on the Canadian Domestic
65 SARA Title III Section 302 Ext Not applicable Canadian Regulations: WHMIS Classification DSL	trem	California to cause cancer. ely Hazardous Substance D2B All components of this product are on the Canadian Domestic
65 SARA Title III Section 302 Ext Not applicable Canadian Regulations: WHMIS Classification DSL National Inventories:	tremo	California to cause cancer. ely Hazardous Substance D2B All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
65 SARA Title III Section 302 Ext Not applicable Canadian Regulations: WHMIS Classification DSL National Inventories: Australia AICS	treme : :	California to cause cancer. ely Hazardous Substance D2B All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Not determined.
65 SARA Title III Section 302 Ext Not applicable Canadian Regulations: WHMIS Classification DSL National Inventories: Australia AICS China IECS	tremo : : :	California to cause cancer. ely Hazardous Substance D2B All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Not determined. Not determined.
65 SARA Title III Section 302 Ext Not applicable Canadian Regulations: WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS	tremo : : :	California to cause cancer. ely Hazardous Substance D2B All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Not determined. Not determined. Not determined.



MATERIAL SAFETY DATA SHEET

DB2106 FLO GREEN

Version Number 1.0 Revision Date 11/25/2002 Page 6 of 6 Print Date 11/7/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.